

**IF YOU RECEIVED THIS FAX IN ERROR,
PLEASE CALL 604-806-8886 IMMEDIATELY**



PRESCRIBER'S ORDERS

NO DRUG WILL BE DISPENSED OR ADMINISTERED
WITHOUT A COMPLETED

CAUTION SHEET

ALLERGY/INTOLERANCE STATUS FORM (PHC-PH047)

DATE
AND TIME

BOWEL SURGERY – PRE-OP SURGICAL DAYCARE ORDERS

(Items with check boxes must be selected to be ordered)

Page 1 of 1

ADMISSION INSTRUCTIONS: Follow **Bowel Surgery– ERAS PROTOCOL** Clinical Pathway (PHC-NF373)

NOT a pathway patient

MONITORING: Baseline BP, HR, RR, Temp, O₂ Saturation

Obtain weight in kg and height in cm

TREATMENT: Full body wipe with chlorhexidine 2% cloths (SAGE WIPES) on arrival to SDC

PRE-OPERATIVE WARMING:

Apply temperature management unit (e.g. Bair PAWS or Bair Hugger) to patient in Surgical Daycare on admission

MEDICATIONS:

Thromboprophylaxis:

heparin 5,000 units subcutaneously x 1 dose pre-op

Analgesic: To be administered in Surgical Daycare area

acetaminophen 650 mg PO with a sip of water 90 minutes pre-op if no other acetaminophen ordered from anesthesia

Antibiotic Prophylaxis: (To be administered by anaesthesiologist in operating room)

weight below 80 kg: ceFAZolin 1 g IV on induction and Q4H throughout surgery

weight 80 to 120 kg: ceFAZolin 2 g IV on induction and Q4H throughout surgery

weight above 120 kg: ceFAZolin 3 g IV on induction and Q4H throughout surgery

AND

metronidazole 500 mg IV within 1 hour prior to surgical incision

Penicillin or cephalosporin allergy:

ciprofloxacin 400 mg IV within 1 hour prior to surgical incision ***AND***

metronidazole 500 mg IV within 1 hour prior to surgical incision

Printed Name

Signature

College ID

Pager